

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently amended) A decorative film comprising a transparent substrate and a colored layer comprising ink containing an optical coherent pigment, said colored layer having a thickness in the range of from 2 to 20  $\mu\text{m}$  and being provided on one surface of said substrate, wherein said substrate comprises a plastic film and when said decorative film is mounted on a window pane of a room or vehicle said colored layer is not observable when viewed inside the room or vehicle from a first side of the decorative film but said colored layer is observable when viewed outside the room or vehicle from an opposite side of the decorative film.

CI  
2. (Original) The decorative film according to claim 1, wherein said ink is polarizing pearl ink.

3. (Original) The decorative film according to claim 2, wherein said polarizing pearl ink contains a pigment and said pigment is a scaly flake pigment.

4. (Original) The decorative film according to claim 3, wherein said flake has an average particle diameter in the range of from 5 to 130  $\mu\text{m}$ .

5. (Original) The decorative film according to claim 4, wherein the content of said pigment in said polarizing pearl ink is in the range of from greater than 1% by weight to less than 40% by weight.

6. (Previously presented) The decorative film according to claim 2, wherein said polarizing pearl ink contains a pigment and said pigment comprises titanium dioxide-coated mica flake, iron oxide-coated mica flake, or a combination thereof.



7. (Previously presented) The decorative film according to claim 2, wherein said polarizing pearl ink comprises a pigment from the group of titanium dioxide-coated mica flake, iron oxide-coated mica flake, bismuth trichloride, a scaly glass flake, and combinations thereof.

8. (Previously presented) The decorative film according to claim 1, further comprising a clear layer and an adhesive layer, wherein said colored layer and said clear layer are laminated on said one surface of said transparent substrate, and said adhesive layer is provided on another surface of said transparent substrate opposite said colored layer, wherein the decorative film has a structure arranged in an order of adhesive layer, transparent substrate, colored layer, and clear layer.

9. (Previously presented) The decorative film according to claim 1, further comprising a clear layer and an adhesive layer, wherein said colored layer, said clear layer and said adhesive layer are laminated, on said one surface of said transparent substrate, wherein the decorative film has a structure arranged in an order of transparent substrate, colored layer, clear layer, and adhesive layer .

10. (Previously presented) The decorative film according to claim 1 in combination with a window pane, said decorative film being bonded to a surface of said window pane.

11. (Previously presented) The combination according to claim 10, wherein said window pane is an automobile window pane.

12. (Previously presented) A method of decorating a window pane comprising: providing the decorative film according to claim 1; and applying the decorative film to a surface of the window pane.

13. (Previously presented) The method according to claim 12, wherein the surface is the surface of a glass window pane.



14. (Previously presented) The method according to claim 12, wherein the surface is the surface of an automobile window pane.

15. (Previously presented) The method according to claim 12, wherein the decorative film being provided further comprises an adhesive layer on another surface of the transparent substrate opposite the colored layer, and said step of applying the decorative film includes bonding the decorative film to the surface of the window pane using the adhesive layer.

16. (New) An article comprising:

a window pane; and

a decorative film attached to a surface of the window pane, said decorative film comprising a transparent substrate and a colored layer comprising ink containing an optical coherent pigment, said colored layer having a thickness in the range of 2 to 20 and being provided on one surface of said substrate, wherein said colored layer is not observable when viewed from a first side of the decorative film but said colored layer is observable when viewed from an opposite side of the decorative film.

17. (New) The article of claim 16, wherein the window pane is part of a room or vehicle and said colored layer is observable outside the room or vehicle but not observable inside the room or vehicle.